



High Maintenance & Minors 31-1-8

Slow Release Fertiliser

- For all turf including fairways, greens, tees and fields, any time during the growing season

Precautions

Keep out of reach of children - may be harmful if large amounts are ingested - see M.S.D.S.
Do not inhale - dust mask is only recommended where airborne dust levels are high.
Avoid contact with eyes as irritation may occur - flush well with water holding eye-lids open.

Guaranteed Analysis

Total Nitrogen (N)	31.0%
N as ammonium	0.6%
N as urea, methylene urea	16.7%
N as water soluble organic	12.5%
N as water insoluble nitrogen	1.2%
Total Phosphorus (P)	1.0%
as MAP	
Total Potassium (K)	8.0%
as potassium sulphate	
Sulphur (S) as combined sulphates	3.8%
Iron (Fe) as ferrous sulphate	0.2%
Manganese (Mn) as manganese sulphate	0.1%

WARNING: Use of this product may result in Cadmium (Cd), Lead (Pb) and Mercury (Hg) residues in excess of the Maximum Permissible Concentration (MPC) in plant and animal products and may also result in accumulation of these residues in soil.



Marketed in Australasia by:
Scotts Australia Pty Ltd (A.C.N. 003 123 162)
Professional Turf Division
11 Columbia Way, Baulkham Hills NSW 2153, Australia
Phone (02) 8853 7300 Fax (02) 8853 7310

180c Great South Rd, Takani Auckland, New Zealand
Phone 09 833 6558 Fax 09 295 0176

©2005, Licensed by The Scotts Company LLC
World rights reserved. Product of the U.S.A.

Directions for use

Small particle size provides even distribution and reduces the chance of speckling or mottling without reducing spreadability.

For cool season grasses: Apply at the NORMAL RATE of 1.6 kg/100m². In low nitrogen programs and where temperatures are expected to exceed 30°C apply the LIGHT RATE of 0.8 kg/100 m².

For warm season grasses: Apply at the NORMAL RATE of 1.6 kg/100 m² or at the HEAVY RATE of 2.3 kg/100 m². When temperatures exceed 30°C, turf should be watered following application.

For putting green turf: Apply to moist or dry foliage at the NORMAL RATE or the LIGHT RATE and water immediately with a minimum of 5mm of irrigation. If temperatures exceed 30°C, apply only at the LIGHT RATE of 0.8 kg/100 m² and water as outlined above.

Storage and Use

Store in a clean, dry place.

Reseal opened bag by folding top down and securing.

Use only clean, dry spreaders. Do not leave unused product in spreaders.

IMPORTANT NOTICE: LIMITATION OF LIABILITY

This product has been researched to provide necessary data to support its uses listed on the label. The user should always follow the label directions and exercise his judgment and caution when using the product under his growing conditions. NO WARRANTY OR REPRESENTATION IS MADE, EXPRESS OR IMPLIED, CONCERNING THE RESULTS TO BE OBTAINED FROM THE USE OF THIS PRODUCT IF NOT USED IN ACCORDANCE WITH DIRECTIONS OR ESTABLISHED SAFE PRACTICE. The exclusive remedy of the user or Buyer, and the limit of liability of The Scotts Company or its affiliates, for any and all losses, injuries or damages resulting from the use or handling of this product shall be the purchase price paid by the user or Buyer for the quantity of this product involved. The Buyer and users are deemed to have accepted the terms of this Notice, which may be varied only by agreement in writing, signed by a duly authorized representative of The Scotts Company.

Suggested Spreader Settings

To provide proper distribution, calibrate your spreader before application.

20kg feeds 2500 m² at the Light Rate (0.8 kg/100m²) with 0.25 kg of N/100 m²
20kg feeds 1250 m² at the Normal Rate (1.6 kg/100m²) with 0.50 kg of N/100 m²
20kg feeds 870 m² at the Heavy Rate (2.3 kg/100m²) with 0.71 kg of N/100 m²

SPREADER	GROUND SPEED	WIDTH OF COVERAGE	SPREADER SETTINGS		
			LIGHT RATE	NORMAL RATE	HEAVY RATE
Scotts Drop Type	4.5 km/hr	overlap wheels	5 1/2	6 1/2	7 1/2
Scotts Rotary					
R-8A (Cone 7)	4.5 km/hr	2.4 m	I 1/2	K	M 1/2
AccuPro 2000 (Cone 7)	4.5 km/hr	2.4 m	J 1/2	L 1/2	N 1/2
Vicon (Model 03)	7 km/hr	8.4 m	17	24	31

Net Weight 20 kg

041305

8331A