



Material Safety Data Sheet

Infosafe No.	LPWEV	Issue Date : June 2007	ISSUED by SCOTTS AU
--------------	-------	------------------------	---------------------

Product Name : **OSMOCOTE TOPDRESS**

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name	OSMOCOTE TOPDRESS	
Product Code	7658, 7659	
Company Name	SCOTTS AUSTRALIA PTY LTD	
Address	11 Columbia Way Baulkham Hills NSW 2153 Australia	
Emergency Tel.	1800 033 111	
Telephone/Fax Number	Tel: (02) 8853 7300 Fax: (02) 8853 7310	
Recommended Use	Granulated fertiliser.	
Other Names	<u>Name</u>	<u>Product Code</u>
	OSMOCOTE TOPDRESS 8-9	7658
	OSMOCOTE TOPDRESS 3-4	7659

2. HAZARDS IDENTIFICATION

Hazard Classification Australia:
 Not classified as Hazardous according to criteria of National Occupational Health & Safety Commission (NOHSC), Australia.
 Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail.

New Zealand:
 Classified as Hazardous according to the New Zealand Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001.
 Classified as Dangerous Goods for transport, according to the New Zealand Standard NZS 5433:1999 Transport of Dangerous Goods on Land.

HSNO classification:
 6.1E - Substance that is mild acutely toxic.
 6.3A - Substance that is irritating to the skin.
 6.4A - Substance that is irritating to the eye.
 9.1D - Substance that is slightly harmful to the aquatic environment or is otherwise designed for biocidal action.

Hazard statement code:
 H313 May be harmful in contact with skin.
 H315 Causes skin irritation.
 H319 Causes serious eye irritation.
 H333 May be harmful if inhaled.
 H402 Harmful to aquatic life.

Precautionary statement codes- prevention:
 P102 Keep out of reach of children.
 P103 Read label before use.
 P104 Read Safety Data Sheet before use.
 P264 Wash hands thoroughly after handling.
 P280 Wear protective gloves/eye/face protection.

Precautionary statement codes- Response:
 P101 If medical advice is needed, have product container or label at hand.
 P302+P352 IF ON SKIN: Wash with plenty of soap and water.
 P304+P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P312 Call a POISON CENTER or doctor/physician if you feel unwell.
 P331 Do NOT induce vomiting.
 P332+P313 If skin irritation occurs: Get medical advice/ attention.
 P337+P313 If eye irritation persists: Get medical advice/attention.
 P362 Take off contaminated clothing and wash before re-use.

Precautionary statement codes - Disposal:
 P501 In the case of a substance that is in compliance with a HSNO approval



Material Safety Data Sheet

Page: 2 of 5

Infosafe No. LPWEV Issue Date : June 2007 ISSUED by SCOTTS AU

Product Name : OSMOCOTE TOPDRESS

other than a Part 6A (Group Standards) approval, a label must provide a description of one or more appropriate and achievable methods for the disposal of a substance in accordance with the Hazardous Substances (Disposal) Regulations 2001. This may also include any method of disposal that must be avoided.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients	Name	CAS	Proportion
	Ammonium Nitrate	6484-52-2	0->25 %
	Iron (II) Sulfate	7720-78-7	0-10 %
	Magnesium oxide	1309-48-4	0-<1 %
	Other ingredients determined not to be hazardous		Balance to 100%

4. FIRST AID MEASURES

Inhalation	If prolonged inhalation of dust occurs, remove from contaminated area. Apply artificial respiration if not breathing. If symptoms develop seek medical attention.
Ingestion	Wash out mouth with water. If irritation develops and persists seek medical attention.
Skin	Wash affected area thoroughly with soap and water. Remove contaminated clothing and wash before reuse or discard. If symptoms develop seek medical attention.
Eye	If contact with the eye(s) occurs, wash with copious amounts of water holding eyelid(s) open. Take care not to rinse contaminated water into the non-affected eye. If symptoms persist seek medical attention.
First Aid Facilities	Normal wash room facilities.
Advice to Doctor	Treat symptomatically.

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media	Use water
Hazards from Combustion Products	Under fire conditions this product may emit toxic and/or irritating fumes including carbon monoxide and carbon dioxide.
Specific Hazards	In case of fire, the product will smoulder even without the presence of external oxygen. In these conditions the product will show self sustaining decomposition. The best method to extinguish the fire is to cool the decomposition front with water.
Precautions in connection with Fire	Fire-fighters should wear full protective clothing and self contained breathing apparatus (SCBA) operated in positive pressure mode.
Unsuitable Extinguishing Media	Dry powder, Sand, Foam, CO2

6. ACCIDENTAL RELEASE MEASURES

Emergency Procedures	Sweep up material avoiding dust generation or dampen spilled material with water to avoid airborne dust, and then transfer material to a suitable container. Use absorbent paper dampened with water to pick up remaining material. Wash surfaces well, with soap and water. Seal all wastes in vapour tight labelled plastic containers for eventual disposal. Dispose of waste according to federal, Environmental Protection Authority and state regulations. If the spillage enters the waterways contact the Environmental Protection Authority, or your local Waste Management Authority.
-----------------------------	---

7. HANDLING AND STORAGE

Precautions for Safe Handling	Avoid generating dust. Ensure a high level of personal hygiene is maintained when using this product. That is; always wash hands before eating, drinking, smoking or using the toilet.
Conditions for Safe Storage	Store in a cool dry place, out of moisture. Keep containers closed when not in use. Store in suitable, labelled containers.



Material Safety Data Sheet

Infosafe No.	LPWEV	Issue Date : June 2007	ISSUED by SCOTTS AU
--------------	-------	------------------------	---------------------

Product Name : **OSMOCOTE TOPDRESS**

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

National Exposure Standards Australian National Occupational Health And Safety Commission (NOHSC) Exposure Standards:

Substance	TWA		STEL	
	ppm	mg/m ³	ppm	mg/m ³
Magnesium oxide (fume)	-	10	-	-

New Zealand Occupational Safety and Health Service (OSH) Workplace Exposure Standards:

Substance	TWA		STEL	
	ppm	mg/m ³	ppm	mg/m ³
Magnesium oxide (fume)	-	10	-	-

The exposure standard for dust not otherwise specified is 10 mg/m³ (for inspirable dust) and 3 mg/m³ (for respirable dust). The limit applies to both Australia and New Zealand.

Biological Limit Values No biological limit allocated.

Engineering Controls Use with good general ventilation. If dusts are produced local exhaust ventilation should be used.

Respiratory Protection Not required. During industrial applications: Where ventilation is inadequate the use of an Air Purifying Respirator with a Organic Vapour filter complying with AS/NZS 1715 and AS/NZS 1716 is recommended.

Eye Protection Not normally required. During industrial applications: The use of chemical goggles or safety glasses with side shield protection is recommended. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.

Hand Protection Where skin contact is likely to be prolonged or repeated impervious PVC or nitrile rubber gloves are recommended.

Body Protection Overalls or similar protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Brown, grey, coated granules.
Odour	Not available.
Melting Point	Not available.
Boiling Point	Not applicable.
Solubility in Water	Coating not soluble, release nutrients through coating.
Specific Gravity	Not available.
pH Value	Not available.
Vapour Pressure	Not applicable.
Vapour Density (Air=1)	Not applicable.
Density	Bulk: 800 - 1100 kg/m ³
Flash Point	Not applicable.
Auto-Ignition Temperature	Not available.
Flammable Limits - Lower	Not applicable.
Flammable Limits - Upper	Not applicable.

10. STABILITY AND REACTIVITY

Chemical Stability	Stable under normal conditions of use.
Conditions to Avoid	Heat, direct sunlight, open flames or other sources of ignition.
Incompatible Materials	Combustibles.



Material Safety Data Sheet

Page: 4 of 5

Infosafe No. LPWEV Issue Date : June 2007 ISSUED by SCOTTS AU

Product Name : OSMOCOTE TOPDRESS

Hazardous Decomposition Products No decomposition if stored correctly. Hazardous decomposition products may include poisonous gasses/vapours.

Hazardous Polymerization Will not occur.

11. TOXICOLOGICAL INFORMATION

Toxicology Information LD50 (oral, rat): >10000 mg/kg

Inhalation Inhalation of dust may cause irritation to the mucous membrane and upper airways.

Ingestion Not a likely source of exposure. May cause irritation to the mouth, oesophagus and stomach.

Skin Skin contact may cause mechanical irritation resulting in redness and itching.

Eye Eye contact may cause mechanical irritation. May result in mild abrasion.

Chronic Effects Prolonged or repeated skin contact may cause defatting leading to dermatitis.

12. ECOLOGICAL INFORMATION

Ecotoxicity Ironsulphate:
EC50/48h/daphnia = >100mg/l
LC50/96h/rainbow trout = >72.5mg/l (6d)
EC50/72h/algae = 22mg/l
LD50/oral/rat = 1389 mg/kg
Ammoniumnitrate:
EC50/48h/daphnia =100 µg/l
LC50/96h/rainbow trout =10 µg/l
EC50/72h/algae = 74000 µg/l

Persistence / Degradability No data is available for this material.

Mobility No data is available for this material.

Environ. Protection Avoid contaminating waterways.

13. DISPOSAL CONSIDERATIONS

Disposal Considerations Dispose of waste according to federal, EPA and state regulations.

14. TRANSPORT INFORMATION

Transport Information Australia:
This material is classified as a Class 9 (Miscellaneous Dangerous Goods) Dangerous Good according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. Dangerous goods of Class 9 (Miscellaneous Dangerous Goods) are incompatible in a placard load with any of the following:
- Class 1, Explosive
- Class 5.1, if the Class 9 substance is a fire risk substance
- Class 5.2, if the Class 9 substance is a fire risk substance
New Zealand:
This material is classified as a Class 9 - Miscellaneous Substance according to NZS 5433:1999 Transport of Dangerous Goods on Land.
Must not be loaded in the same freight container or on the same vehicle with:
- Class 1, Explosives
Goods of packing group II or III may be loaded in the same freight container or on the same vehicle if transported in segregation devices with:
(Note 3; Segregation devices may be used as to segregate dangerous goods of Class 9 when the nature of those dangerous goods requires them to be segregated from dangerous goods of);
- Class 3, Flammable liquids
- Class 4.1, Flammable solids
- Class 4.2, Spontaneously combustible substances
- Class 4.3, Dangerous when wet substances
- Class 5.1, Oxidising substances
- Class 5.2, Organic peroxides



Material Safety Data Sheet

Page: 5 of 5

Infosafe No.	LPWEV	Issue Date : June 2007	ISSUED by SCOTTSAU
--------------	-------	------------------------	--------------------

Product Name : **OSMOCOTE TOPDRESS**

- Class 6.1, Toxic substances
- Class 6.2, Infectious substances
- Class 8, Corrosive substances
And are incompatible with food and food packaging in any quantity.

U.N. Number 2071

Proper Shipping Name AMMONIUM NITRATE FERTILIZERS

DG Class 9

Packaging Method 3.8.9

Packing Group III

EPG Number 9E1

IERG Number 50

15. REGULATORY INFORMATION

Regulatory Information Australia:
Not classified as hazardous according to criteria of National Occupational Health & Safety Commission (NOHSC).

New Zealand:
Classified as Hazardous according to the New Zealand Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001.
Group Standard:
Fertilisers (Subsidiary Hazard) Group Standard 2006
HSNO Approval Number: HSR002571

Poisons Schedule Not Scheduled

16. OTHER INFORMATION

Date of preparation or last revision of MSDS MSDS created: May 2007

Contact Person/Point New Zealand:
180c Great South Rd
Takanini, Auckland
Phone: (09) 299 6558
Fax: (09) 296 0186
Emergency Tel: 0800 734 607
...End Of MSDS...