



Material Safety Data Sheet

MSDS No.	LPW4Fc	Issue Date : February 2007	Issued by Scotts Australia Pty Ltd
Product Name:	PETERS PROFESSIONAL COMBI-SOL 6+8+30+TE		

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name	PETERS PROFESSIONAL COMBI-SOL 6+8+30+TE		
Product Code	2101		
Company Name	SCOTTS AUSTRALIA PTY LTD		
Address	11 Columbia Way Baulkham Hills NSW 2153 Australia		
Emergency Tel.	1800 033 111		
Telephone/Fax Number	Tel: (02) 8853 7300 Fax: (02) 8853 7310		
Recommended Use	Water soluble fertiliser.		
Other Names	<u>Name</u>	<u>Product Code</u>	
	PETERS PROFESSIONAL HYDRO-SOL	2101	

2. HAZARDS IDENTIFICATION

Hazard Classification	Australia: Not classified as Hazardous according to criteria of National Occupational Health & Safety Commission (NOHSC), Australia. Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. New Zealand: Not classified as Hazardous according to the New Zealand Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001. Classified as Dangerous Goods for transport, according to the New Zealand Standard NZS 5433:1999 Transport of Dangerous Goods on Land.		
Risk Phrase(s)	R8 Contact with combustible material may cause fire.		
Safety Phrase(s)	S17 Keep away from combustible material. S33 Take precautionary measures against static discharges. S36 Wear suitable protective clothing.		

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients	Name	CAS	Proportion Ingredients
	Ingredients determined not to be hazardous	Not required	60-100 %
	Potassium Nitrate	7757-79-1	10-30 %
	Sodium molybdate	7631-95-0	0-<1 %

4. FIRST AID MEASURES

Inhalation	If inhaled, remove from contaminated area. Apply artificial respiration if not breathing. If symptoms develop seek medical attention.
Ingestion	Do NOT induce vomiting. Wash out mouth with water. If symptoms develop seek medical attention.
Skin	Wash affected area extremely thoroughly with soap and water. Remove contaminated clothing and wash before reuse or discard. If symptoms develop seek medical attention.
Eye	If contact with the eye(s) occurs, wash with copious amounts of water holding eyelid(s) open. Take care not to rinse contaminated water into the non-affected eye. If symptoms persist seek medical attention.
First Aid Facilities	Eye wash and normal washroom facilities.
Advice to Doctor	Treat symptomatically.

5. FIRE FIGHTING MEASURES

Suitable	Use appropriate fire extinguisher for surrounding environment.
----------	--



Material Safety Data Sheet

MSDS No.	LPW4Fc	Issue Date : February 2007	Issued by Scotts Australia Pty Ltd
Product Name:	PETERS PROFESSIONAL COMBI-SOL 6+8+30+TE		

Extinguishing Media Hazards from Combustion Products	Non combustible. Danger of toxic gases in case of fire.
Special Protective Equipment for fire fighters	Full protective clothing and self-contained breathing apparatus.
Specific Methods	Collect water used to fight fire.
Specific Hazards	Contact with combustible material may cause fire.
Hazchem Code	1Y

6. ACCIDENTAL RELEASE MEASURES

Emergency Procedures	Remove ignition sources. Evacuate all unnecessary personnel. Remove sources of heat, impact and friction. Wear protective clothing and minimise inhalation, skin and eye contact. Shovel/sweep up avoiding any dust generation into an antistatic bag or conductive container. If this material enters the waterways contact the Environmental Protection Authority, or your local Waste Management Authority.
-----------------------------	--

7. HANDLING AND STORAGE

Precautions for Safe Handling	Avoid generating dust. Use smallest possible amounts in designated areas with adequate ventilation. Have emergency equipment (for fires, spills, leaks, etc.) readily available. Label containers. Keep containers closed when not in use and handle containers with care. Do Not smoke. Avoid impact and friction. Wear appropriate protective equipment to prevent inhalation, skin and eye contact. Ensure a high level of personal hygiene is maintained when using this product. That is; always wash hands before eating, drinking, smoking or using the toilet.
Conditions for Safe Storage	Store in a well ventilated area away from heat and sources of ignition. Store away from food, drink, feedstuffs and incompatible materials. Store in suitable, labelled containers. Keep containers closed when not in use. Avoid any dust build-up by frequent cleaning and suitable construction of storage area. Keep storage separated from work areas. Inspect periodically for deficiencies such as damage or leaks. Avoid impact and friction.
Storage Temperatures	0 - 40°C
Recommended Materials	Plastic bags

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

National Exposure Standards	No exposure standards have been established for this material by the Australian National Occupational Health & Safety Commission (NOHSC) or the Occupational Safety and Health Service (OSH) of the New Zealand Department of Labour. However, the exposure standard for dust not otherwise specified is 10 mg/m ³ (for inspirable dust) and 3 mg/m ³ (for respirable dust). The limit applies to both Australia and New Zealand.
Biological Limit Values	No biological limit allocated.
Engineering Controls Respiratory Protection	Use with good general ventilation. If dusts are produced local exhaust ventilation should be used. Where sufficient ventilation is not available, avoid breathing dust by wearing an AS 1716 approved P1 or P2 particulate filter respirator. Final choice of appropriate breathing protection is dependant upon actual airborne concentrations and the type of breathing protection required will vary according to individual circumstances. Expert advice may be required to make this decision. Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices.
Eye Protection	Safety glasses with side shields, goggles or full-face shield as appropriate recommended. Final choice of appropriate eye/face protection will vary according to individual circumstances i.e. methods of handling or engineering controls and according to risk assessments undertaken. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors



Material Safety Data Sheet

MSDS No.	LPW4Fc	Issue Date : February 2007	Issued by Scotts Australia Pty Ltd
Product Name:	PETERS PROFESSIONAL COMBI-SOL 6+8+30+TE		

Hand Protection for Industrial Applications.
Wear gloves of impervious material such as PVC. Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.

Body Protection Suitable protective clothing should be worn e.g. cotton overalls buttoned at neck and wrist.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Solid, off white powder.
Odour Not available.
Melting Point Not available.
Boiling Point Not applicable.
Solubility in Water Complete solubility.
Specific Gravity Not available.
pH Value Not applicable.
Vapour Pressure Not available
Vapour Density (Air=1) Not available
Density Bulk density: 800 - 1100 kg/m³
Flash Point Not available.
Flammable Limits - Lower Not available
Flammable Limits - Upper Not available

10. STABILITY AND REACTIVITY

Chemical Stability Stable under normal conditions.
Conditions to Avoid Avoid shock, static charge, friction, fire or other sources of ignition.
Incompatible Materials Combustible materials.
Hazardous Decomposition Products Decomposition can result in the release of toxic and/or irritating fumes.
Hazardous Polymerization Will not occur.

11. TOXICOLOGICAL INFORMATION

Toxicology Information Acute toxicity data available for this product.
Inhalation Inhalation of dusts may irritate the respiratory system.
Ingestion Ingestion of this product may irritate the gastric tract causing nausea and vomiting.
Skin May cause redness, itching and irritation.
Eye May cause eye irritation, tearing, stinging, blurred vision, and redness.
Chronic Effects Not available

12. ECOLOGICAL INFORMATION

Ecotoxicity No ecological data available for this product.
Persistence / Degradability Not available.
Mobility Not available.
Information on Ecological Effects Ecotoxicity effects (Sodium molybdate):
LC50/96h/rainbow trout => 2800 g/l



Material Safety Data Sheet

MSDS No.	LPW4Fc	Issue Date : February 2007	Issued by Scotts Australia Pty Ltd
Product Name:	PETERS PROFESSIONAL COMBI-SOL 6+8+30+TE		

Environ. Protection Do not allow product to enter drains, waterways or sewers.

13. DISPOSAL CONSIDERATIONS

Disposal Considerations Dispose of waste according to federal, EPA and state regulations.

14. TRANSPORT INFORMATION

Transport Information AUSTRALIA:
This material is a Class 5.1 - Oxidising Agent according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. This material is incompatible in a placard load with any of the following:

- Class 1, Explosive
- Class 2.1, Flammable gases
- Class 2.3, Toxic gases
- Class 3, Flammable liquids
- Class 4.1, Flammable Solids
- Class 4.2, Spontaneously combustible substances
- Class 4.3, Dangerous When wet
- Class 5.2, Organic peroxides
- Class 6.1, Toxic substances and Class 6.2 Infectious Substances (where the substances are fire risk substances)
- Class 7, Radioactive materials unless specifically exempted.
- Class 8, Corrosives
- Class 9, Miscellaneous substances (where the miscellaneous dangerous goods are fire risk substances), and
- Combustible Liquids.

NEW ZEALAND:
This material is classified as a Class 5.1 Oxidising Substance according to NZS 5433:1999 Transport of Dangerous Goods on Land. This material must not be loaded in the same freight container or on the same vehicle with:

- Class 1, Explosive
- Class 2.1, Flammable gases
- Class 2.3, Toxic gases
- Class 3, Flammable liquids
- Class 4.2, Spontaneously combustible substances
- Class 4.3, Dangerous When wet
- Class 5.2, Organic peroxides
- Class 6.2, Infectious substances
- Class 8, Corrosives

Must not be loaded with in the same freight container; and on the same vehicle must be separated horizontally by at least 3 metres unless all but one are packed in separate freight containers with:

- Class 4.1, Flammable Solids
- Class 6.1, Toxic Substances
- Class 7, Radioactive Materials unless specifically exempted

Goods of packing group II or III may be loaded in the same freight container or on the same vehicle if transported in segregation devices with:

- Flammable Liquids (Class 3),
- Class 4.1, Flammable Solids
- Class 4.2, Spontaneously Combustible Substances
- Class 4.3, Dangerous When Wet Substances
- Class 5.2, Organic Peroxides



Material Safety Data Sheet

MSDS No.	LPW4Fc	Issue Date : February 2007	Issued by Scotts Australia Pty Ltd
Product Name:	PETERS PROFESSIONAL COMBI-SOL 6+8+30+TE		

	- Class 6.1, Toxic Substances
	- Class 6.2, Infectious Substances
	- Class 8, Corrosive Substances
U.N. Number	UN1479
Proper Shipping Name	OXIDIZING SOLID, N.O.S.
DG Class	5.1
Hazchem Code	1Y
Packaging Method	3.8.5.1
Packing Group	III
EPG Number	5B1
IERG Number	31

15. REGULATORY INFORMATION

Regulatory Information	Australia: Not classified as hazardous according to criteria of National Occupational Health & Safety Commission (NOHSC).
Poisons Schedule	Not Scheduled
National and or International Regulatory Information	New Zealand: Not classified as Hazardous according to the Hazardous Substances (Classification) Regulations 2001.
Hazard Category	Oxidising

16. OTHER INFORMATION

Date of preparation or last revision of MSDS	MSDS Created: February 2007
Contact Person/Point	New Zealand: 180c Great South Rd Takanini, Auckland Phone: (09) 299 6558 Fax: (09) 296 0186 Emergency Tel: 0800 734 607 ...End Of MSDS...